



Medical Imaging

ICON Medical Imaging Bibliography

Overall Industry Topics

Kraus, A.F. "Online Hosted Medical Image Repository for Biomarker Research." ICON Insight, Sep. 2011, Vol 22. Web.

<http://www.iconplc.com/icon-files/insight-newsletter/Fall2011/index.html>

Goldmacher, G. "Reviewing for Eligibility." European Biopharmaceutical Review, October 2010 (page 40,42) <http://www.iconplc.com/news-events/thought-leadership/reviewing-for-eligibility/Eligibility-Article-G-Goldmacher-EBR-Oct-2010.pdf>

Gasmi, J., Conklin, J. "Beyond the Paradox of Progress" PharmaAsia, August 2010. <http://www.pharmaasia.com/article-8567-beyondtheparadoxofprogress-Asia.html>

Gastineau, T. "ICON Medical Imaging, An Interview with Ted Gastineau, President." CWWeekly, Jan. 2009. Web.

<http://www.iconplc.com/icon-files/docs/thought-leadership/public/An-Interview-with-Ted-Gastineau-Centerwatch-Weekly.pdf>

Conklin, J. "Future Functions." ICON plc. Central ECG Reading, 2008. Web.

<http://www.iconplc.com/icon-files/docs/thought-leadership/public/Future-Functions-Charting-Commercial-Imagng-Core-Laboratory-Technology.pdf>

Kraus, A F. "Medical Imaging Stakeholders Call for Actions." DIA Today, Dec. 2007. Web.

<http://www.iconplc.com/icon-files/docs/thought-leadership/public/Medical-Imaging-Stakeholders-Call-for-Action.pdf>

ICON Medical Imaging Bibliography

Cardiology

Cleland, J.G.H; Teerlink, J.R.; Senior, R.; Nifontov, E.M.; Mc Murray, J. JV.; Lang, C.C.; Tsyrlin, V.A.; Greenberg, B.H.; Mayet, J.; Francis, D.P.; Shaburishvili, T.; Monaghan, M.; Saltzberg, M.; Neyses, L.; Wasserman, S.M.; Lee, J.H.; Saikali, K.G.; Clarke, C.P.; Goldman, J.H.; Wolff, A.A.; Malik, F. I. "The effects of the cardiac myosin activator, omecamtiv mecarbil, on cardiac function in systolic heart failure: a double-blind, placebo-controlled, crossover, dose-ranging phase 2 trial" *The Lancet*, August 2011 (Vol. 378 Issue 20, Pages 676-683)

< <http://www.thelancet.com/journals/lancet/article/PIIS0140-6736%2811%2961126-4/abstract> >

Teerlink, J.R.; Clarke, C.P.; Saikali, K.G.; Lee, J.H.; Chen, M.M.; Escandon, R.D.; Elliott, L.; Bee, R.; Habibzadeh, M.R.; Goldman, J.H.; Schiller, N.B.; Malik, F.I.; Wolff, A.A. "Dose-dependent augmentation of cardiac systolic function with the selective cardiac myosin activator, omecamtiv mecarbil: a first-in-man study" *The Lancet*, August 2011 (Vol. 378 Issue 9792, Pages 667-675)

< <http://www.thelancet.com/journals/lancet/article/PIIS0140-6736%2811%2961219-1/abstract> >

Sacha, C. B.; Main, M.L.; Stevens, G.R.; Goldman, J.H.; Constable, S.A.; Becher, H. "Cardiac Toxicity Screening by Echocardiography in Healthy Volunteers: A Study of the Effects of Diurnal Variation and Use of a Core Laboratory on the Reproducibility of Left Ventricular Function Measurement" *Echocardiography*, April 2011

<<http://onlinelibrary.wiley.com/doi/10.1111/j.1540-8175.2010.01379.x/full>>

Habibzadeh, M.R.; Schiller, N, Malik, F; Chen, MM; Saikali KG; Wolff, AA; Goldman JH; Teerlink, JR. "Effect of the Selective Cardiac Myosin Activator, Omecamtiv Mecarbil, on Left Atrial Performance in Healthy Men" *Journal of Cardiac Failure*, August 2010 (Vol. 16, Issue 8, Supplement, Page S72)

<<http://www.onlinejcf.com/issues?Vol=16>>

Kontos, MC; Dilsizian V; Weiland F; DePuey, G; Mahmarian, JJ; Iskandrian, A; Bateman, TM; Heller, GV; Ananthasubramaniam, K; Li, Y; Goldman, JH; Armor, T; Kacena, K; LaFrance, N; Garcia, E; Babich, JW, Udelson JE. "Iodofiltic Acid I 123 SPECT Imaging Improves Initial Diagnosis in Emergency Department Patients with Suspected Acute Coronary Syndrome: A Multicenter Trial." *Journal of the American College of Cardiology* 2010 (In Press)



Medical Imaging

ICON Medical Imaging Bibliography

<http://content.onlinejacc.org/cgi/content/abstract/56/4/290>

Babich, JW. "Iodofiltic Acid I 123 (BMIPP) Fatty Acid Imaging Improves Initial Diagnosis in Emergency Department Patients with Suspected Acute Coronary Syndromes". Journal of the American College of Cardiology Foundation 2010." [Http://content.onlinejacc.org](http://content.onlinejacc.org). Journal of the American College of Cardiology Foundation, 2010. Web.

<http://content.onlinejacc.org/cgi/content/abstract/56/4/290>

Kontos, MC; Dilsizian V; Weiland F; DePuey, G; Mahmarian, JJ; Iskandrian, A; Bateman, TM; Heller, GV; Ananthasubramaniam, K; Li, Y; Goldman, JH; Armor, T; Kacena, K; LaFrance, N; Garcia, E; Babich, JW, Udelson JE. "Iodofiltic Acid I 123 SPECT Imaging Improves Initial Diagnosis in Emergency Department Patients with Suspected Acute Coronary Syndrome: A Multicenter Trial." Journal of the American College of Cardiology 2010 (In Press)

<http://content.onlinejacc.org/cgi/content/abstract/56/4/290>

Kontos, M C.; Weiland F; Mahmarian J.J; Bateman T.M; Heller G.V; Ananthasubramaniam, K; Goldman, J H; Kacena, K; and Babich, J W;. "Iodofiltic Acid I 123 (BMIPP) Fatty Acid Imaging Improves Initial Diagnosis in Emergency Department Patients with Suspected Acute Coronary Syndromes". Journal of the American College of Cardiology Foundation 2010." [Http://content.onlinejacc.org](http://content.onlinejacc.org). Journal of the American College of Cardiology Foundation, 2010. Web.

<http://content.onlinejacc.org/cgi/content/abstract/56/4/290>

Tatsugami F, Husmann L, Herzog BA, Burkhard N, Valenta I, Gaemperli O, Kaufmann PA. "Evaluation of a Body Mass Index–Adapted Protocol for Low-Dose 64-MDCT Coronary Angiography with Prospective ECG Triggering." American Journal of Roentgenology. American Roentgen Ray Society, 2009. Web.

<http://www.ajronline.org/cgi/content/abstract/192/3/635>

Exuzides A, Colby C, Goldman JH, Waaler. "A Reducing Bias in a Retrospective Case-Control Study: An Application of Propensity Score Matching." International Society for Pharmacoeconomics and Outcomes Research. ICON Medical Imaging, 2009. Web.

<http://www.ispor.org/awards/12euro/PMC9.pdf>

Malik F, Saikali KG, Chen MM, Lee JH, Goldman JH, Wolff AA, Teerlink JR. "An Analysis of the Response to CK-1827452, a Selective Cardiac Myosin Activator, in Stable Heart Failure Patients Stratified by Baseline Cardiac Function." Journal of



Medical Imaging

ICON Medical Imaging Bibliography

Cardiac Failure. CY 1121 Investigators, Cytokinetics, Inc, ICON Medical Imaging, UCSF, 2009. Web.

<<http://www.onlinejcf.com/article/PIIS1071916409004205/fulltext>>

Koepfli P, Wyss CA, Gaemperli O, Siegrist PT, Klainguti M, Schepis T, Namdar M, Bechir M, Hoefflinghaus T, Duru F, Kaufmann PA. "Left Bundle Branch Block Causes Relative but Not Absolute Septal Underperfusion during Exercise." NCBI. Research Support, Non-U.S. Gov't, 2009. Web.

<<http://www.ncbi.nlm.nih.gov/pubmed/19734552>>

Herzog BA, Husmann L, Valenta I, Gaemperli O, Siegrist PT, Tay FM, Burkhard N, Wyss CA, Kaufmann PA. "Long-term Prognostic Value of 13N-ammonia Myocardial Perfusion Positron Emission Tomography Added Value of Coronary Flow Reserve." NCBI. Journal of the American College of Cardiology. 2009. Web.

<<http://www.ncbi.nlm.nih.gov/pubmed/19573732>>

Namdar M, Schepis T, Koepfli P, Gaemperli O, Siegrist PT, Grathwohl R, Valenta I, Delaloye R, Klainguti M, Wyss CA, Lüscher TF, Kaufmann PA. "Caffeine Impairs Myocardial Blood Flow Response to Physical Exercise in Patients with Coronary Artery Disease as Well as in Age-Matched Controls." PLoS ONE. The Public Library of Science. Web. 2009.

<<http://www.plosone.org/article/info%3Adoi%2F10.1371%2Fjournal.pone.0005665>>

Tatsugami F, Husmann L, Herzog BA, Burkhard N, Valenta I, Gaemperli O, Kaufmann PA. "Evaluation of a Body Mass Index-Adapted Protocol for Low-Dose 64-MDCT Coronary Angiography with Prospective ECG Triggering." American Roentgen Ray Society. American Journal of Roentgenology, 2009. Web.

<<http://www.ncbi.nlm.nih.gov/pubmed/19234258>>

Goldman JH, Didier S. "Clinical Endpoints in Diabetes Studies: a New Approach." ICON Insight, 2009. Web.

<<http://www.iconplc.com/icon-files/insight-newsletter/spring09/index.html>>

Main, ML, Goldman, JH, Grayburn, PA. "Ultrasound Contrast Agents: Balancing Safety Versus Efficacy." Ingenta Connect. Informa Healthcare, 2009. Web.

<<http://www.ingentaconnect.com/content/apl/eds/2009/00000008/00000001/art00006>>



Medical Imaging

ICON Medical Imaging Bibliography

Tatsugami F, Husmann L, Herzog BA, Burkhard N, Valenta I, Gaemperli O, Kaufmann PA. "Evaluation of a Body Mass Index–Adapted Protocol for Low-Dose 64-MDCT Coronary Angiography with Prospective ECG Triggering." American Journal of Roentgenology. American Roentgen Ray Society, 2009. Web.
<<http://www.ajronline.org/cgi/content/abstract/192/3/635>>

Exuzides A, Colby C, Goldman JH, Waaler. "A Reducing Bias in a Retrospective Case-Control Study: An Application of Propensity Score Matching." International Society for Pharmacoeconomics and Outcomes Research. ICON Medical Imaging, 2009. Web.
<<http://www.ispor.org/awards/12euro/PMC9.pdf>>

Malik F, Saikali KG, Chen MM, Lee JH, Goldman JH, Wolff AA, Teerlink JR. "An Analysis of the Response to CK-1827452, a Selective Cardiac Myosin Activator, in Stable Heart Failure Patients Stratified by Baseline Cardiac Function." Journal of Cardiac Failure. CY 1121 Investigators, Cytokinetics, Inc, ICON Medical Imaging, UCSF, 2009. Web.
<<http://www.onlinejcf.com/article/PIIS1071916409004205/fulltext>>

Goldman JH, and Didier Saur. "Clinical Endpoints in Diabetes Studies: a New Approach." ICON Clinical Research, 2009. Web.
<<http://www.iconplc.com/icon-files/insight-newsletter/spring09/clinical.html>>

Main, ML, Goldman, JH, Grayburn, PA. "Ultrasound Contrast Agents: Balancing Safety Versus Efficacy." Ingenta Connect. Informa Healthcare, 2009. Web.
<<http://www.ingentaconnect.com/content/apl/eds/2009/00000008/00000001/art00006>>

Jonathan, G. "ICON Insight: Imaging And Cardiology." Healthcare Technology Online. ICON Medical Imaging, 2008. Web.
<<http://www.healthcaretechnologyonline.com/article.mvc/ICON-Insight-Imaging-And-Cardiology-0002?VNETCOOKIE=NO>>

Husmann L, Valenta I, Gaemperli O, Adda O, Treyer V, Wyss CA, Veit-Haibach P, Tatsugami F, von Schulthess GK, Kaufmann PA. "Feasibility of Low-dose Coronary CT Angiography: First Experience with Prospective ECG-gating." The European Society of Cardiology. Oxford Journals, 2008. Web.
<<http://eurheartj.oxfordjournals.org/content/29/2/191.abstract>>



Medical Imaging

ICON Medical Imaging Bibliography

Husmann L, Gaemperli O, Schepis T, Scheffel H, Valenta I, Hoefflinghaus T, Stolzmann P, Desbiolles L, Herzog BA, Leschka S, Marincek B, Alkadhi H, Kaufmann PA.

"Accuracy of Quantitative Coronary Angiography with Computed Tomography and Its Dependency on Plaque Composition Plaque Composition and Accuracy of Cardiac CT." NCBI. The International Journal of Cardiovascular Imaging, 2008. Web.

<<http://www.ncbi.nlm.nih.gov/pubmed/18563625>>

Gaemperli O, Valenta I, Schepis T, Husmann L, Scheffel H, Desbiolles L, Leschka S, Alkadhi H, Kaufmann PA. "Coronary 64-slice CT Angiography Predicts Outcome in Patients with Known or Suspected Coronary Artery Disease." NCBI. Journal of European Radiology 2008, 2008. Web.

<<http://www.ncbi.nlm.nih.gov/pubmed/18286291>>

Husmann L, Valenta I, Gaemperli O, Adda O, Treyer V, Wyss CA, Veit-Haibach P, Tatsugami F, von Schulthess GK, Kaufmann PA. "Feasibility of Low-dose Coronary CT Angiography: First Experience with Prospective ECG-gating." The European Society of Cardiology. Oxford Journals, 2008. Web.

<<http://eurheartj.oxfordjournals.org/content/29/2/191.abstract>>

Husmann L, Gaemperli O, Schepis T, Scheffel H, Valenta I, Hoefflinghaus T, Stolzmann P, Desbiolles L, Herzog BA, Leschka S, Marincek B, Alkadhi H, Kaufmann PA.

"Accuracy of Quantitative Coronary Angiography with Computed Tomography and Its Dependency on Plaque Composition Plaque Composition and Accuracy of Cardiac CT." NCBI. The International Journal of Cardiovascular Imaging, 2008. Web.

<<http://www.ncbi.nlm.nih.gov/pubmed/18563625>>

Gaemperli O, Valenta I, Schepis T, Husmann L, Scheffel H, Desbiolles L, Leschka S, Alkadhi H, Kaufmann PA. "Coronary 64-slice CT Angiography Predicts Outcome in Patients with Known or Suspected Coronary Artery Disease." NCBI. Journal of European Radiology 2008, 2008. Web.

<<http://www.ncbi.nlm.nih.gov/pubmed/18286291>>

Hoefflinghaus T, Husmann L, Valenta I, Moonen C, Gaemperli O, Schepis T, Namdar M, Koepfli P, Siegrist PT, Kaufmann PA. "Role of Attenuation Correction to Discriminate Defects Caused by Left Bundle Branch Block versus Coronary Stenosis in Single Photon Emission Computed Tomography Myocardial Perfusion Imaging." NCBI. Research Support, Non-U.S. Gov't, 2008. Web.

<<http://www.ncbi.nlm.nih.gov/pubmed/18936604>>



Medical Imaging

ICON Medical Imaging Bibliography

Husmann L, Valenta I, Gaemperli O, Adda O, Treyer V, Wyss CA, Veit-Haibach P, Tatsugami F, von Schulthess GK, Kaufmann PA. "Feasibility of Low-dose Coronary CT Angiography: First Experience with Prospective ECG-gating." The European Society of Cardiology. Oxford Journals, 2008. Web.

<<http://eurheartj.oxfordjournals.org/content/29/2/191.abstract>>

Neglia D, Rimoldi O, Kaufmann PA, Camici PG. "Radionuclide PET and PET/CT in Coronary Artery Disease." Ingenta Connect. Bentham Science Publishers, 2008. Web.

<<http://www.ingentaconnect.com/content/ben/cpd/2008/00000014/00000018/art00008>>

Gaemperli O, Kaufmann PA. "Hybrid Cardiac Imaging: More than the Sum of Its Parts?" NCBI. Journal of Nuclear Cardiology, 2008. Web.

<<http://www.ncbi.nlm.nih.gov/pubmed/18242489>>

Neglia D, Rimoldi O, Kaufmann PA, Camici PG. "Accuracy of Quantitative Coronary Angiography with Computed Tomography and Its Dependency on Plaque Composition Plaque Composition and Accuracy of Cardiac CT." NCBI. The International Journal of Cardiovascular Imaging, 2008. Web.

<<http://www.ingentaconnect.com/content/ben/cpd/2008/00000014/00000018/art00008>>

Strobel K, Exner UE, Stumpe KD, Hany TF, Bode B, Mende K, Veit-Haibach P, von Schulthess GK, Hodler J. "Assessment of Myocardial Perfusion by Dynamic O-15–labeled Water PET Imaging: Validation of a New Fast Factor Analysis". NCBI. Journal of Nuclear Cardiology, 2007. Web.

<<http://www.ncbi.nlm.nih.gov/pubmed/17826323>>

Adachi I, Gaemperli O, Valenta I, Schepis T, Siegrist PT, Treyer V, Burger C, Morita K, Kaufmann PA. "Assessment of Myocardial Perfusion by Dynamic O-15–labeled Water PET Imaging: Validation of a New Fast Factor Analysis". NCBI. Journal of Nuclear Cardiology, 2007. Web.

<<http://www.ncbi.nlm.nih.gov/pubmed/17826323>>

Main M., Goldman J.H, Grayburn P. "Thinking Outside the "Box"— The Ultrasound Contrast Controversy." The American College of Cardiology Foundation. Journal of the American College of Cardiology Foundation. 2007 Web.

<<http://content.onlinejacc.org/cgi/content/full/j.jacc.2007.11.006v1>>



Medical Imaging

ICON Medical Imaging Bibliography

Goldman JH. "Left Ventricular Anatomy and Size." National Heart Lung and Blood Institute. A Handbook of Echocardiography. 2007. Oxford University Press, 2007. Web. <http://www.nhlbi.nih.gov/health/dci/Diseases/hhw/hhw_anatomy.html>

Gaemperli O, Schepis T, Valenta I, Husmann L, Scheffel H, Duerst V, Eberli FR, Luscher TF, Alkadhi H, Kaufmann PA. "Cardiac Image Fusion from Stand-Alone SPECT and CT: Clinical Experience". Society of Nuclear Medicine. The Journal of Nuclear Medicine, 2007. Web. <<http://jnm.snmjournals.org/cgi/content/abstract/48/5/696>>

Kaufmann PA. "82-Rubidium—the Dawn of Cardiac PET in Europe?" Springer Link. European Journal of Nuclear Medicine and Molecular Imaging, 2007. Web. <<http://www.springerlink.com/content/k41185604k5h99k8/>>



Medical Imaging

ICON Medical Imaging Bibliography

Oncology

Veit-Haibach P, Treyer V, Strobel K, Soyka JD, Husmann L, Schaefer NG, Tschopp A, Hany TF. "Feasibility of Integrated CT-liver Perfusion in Routine FDG-PET/CT." Springer Link. Abdominal Imaging, 2009. Web.

<<http://www.springerlink.com/content/m16x9386mk4882g4/>>

K, Strobel, Bode B, Dummer R, Veit-Haibach P, Fischer DR, Imhof L, Goldinger S, Steinert HC, and Von Schulthess GK. "Limited Value of 18F-FDG PET/CT and S-100B Tumour Marker in the Detection of Liver Metastases from Uveal Melanoma Compared to Liver Metastases from Cutaneous Melanoma." NCBI. European Journal of Nuclear Medicine and Molecular Imaging, 2009. Web.

<<http://www.ncbi.nlm.nih.gov/pubmed/19495748>>

Strobel K, Haerle SK, Stoeckli SJ, Schrank M, Soyka JD, Veit-Haibach P, Hany TF. "Head and Neck Squamous Cell Carcinoma (HNSCC)--detection of Synchronous Primaries with (18)F-FDG-PET/CT." NCBI. European Journal of Nuclear Medicine and Molecular Imaging, 2009. Web.

<<http://www.ncbi.nlm.nih.gov/pubmed/19205699>>

Husarik DB, Miralbell R, Dubs M, John H, Giger OT, Gelet A, Cservenyak T, Hany TF. "Evaluation of [18F]-choline PET/CT for Staging and Restaging of Prostate Cancer." Springer Link. Springer Berlin / Heidelberg, 2008. Web.

< <http://www.springerlink.com/content/63035x432h0l7277/> >

Goerres GW, Schuknecht B, Schmid DT, Stoeckli SJ, Hany TF. "Positron Emission Tomography/computed Tomography for Staging and Restaging of Head and Neck Cancer: Comparison with Positron Emission Tomography Read Together with Contrast-enhanced Computed Tomography." Clinical Imaging. Journal of Computed Tomography, 2008. Web

< http://www.sciencedirect.com/science?_ob=ArticleURL&_udi=B6T5C-4TT382W-4&_user=10&_rdoc=1&_fmt=&_orig=search&_sort=d&_view=c&_acct=C000050221&_version=1&_urlVersion=0&_userid=10&md5=d76f577e7686f3cdc279b57b746d7acc>

Strobel K, Exner UE, Stumpe KD, Hany TF, Bode B, Mende K, Veit-Haibach P, von Schulthess GK, Hodler J. "The Additional Value of CT Images Interpretation in the Differential Diagnosis of Benign vs. Malignant Primary Bone Lesions with 18F-FDG-PET/CT." NCBI. European Journal of Nuclear Medicine and Molecular Imaging, 2008. Web.



Medical Imaging

ICON Medical Imaging Bibliography

<http://www.ncbi.nlm.nih.gov/pubmed/18712385>>

Strobel K, Heinrich S, Bhure U, Soyka J, Veit-Haibach P, Pestalozzi BC, Clavien PA, Hany TF. "Contrast-Enhanced 18F-FDG PET/CT: 1-Stop-Shop Imaging for Assessing the Resectability of Pancreatic Cancer." Society of Nuclear Medicine. The Journal of Nuclear Medicine, 2008. Web.

<http://jnm.snmjournals.org/cgi/content/abstract/49/9/1408>>

Soyka JD, Veit-Haibach P, Strobel K, Breitenstein S, Tschopp A, Mende KA, Lago MP, Hany TF. "Staging Pathways in Recurrent Colorectal Carcinoma: Is Contrast-enhanced 18F-FDG PET/CT the Diagnostic Tool of Choice?" NCBI. Journal of Nuclear Medicine, 2008. Web.

<http://www.ncbi.nlm.nih.gov/pubmed/18287263>>

Von Schulthess GK, Hany TF. "Imaging and PET — PET/CT imaging." The Radiology Information Resource for Patients. American College of Radiology. Web 2008.

<http://www.radiologyinfo.org/en/info.cfm?PG=pct>>

Strobel K, Skalsky J, Steinert HC, Dummer R, Hany TF, Bhure U, Seifert B, Perez Lago M, Joller-Jemelka H, Kalff V. "S-100B and FDG-PET/CT in Therapy Response Assessment of Melanoma Patients". NCBI. Dermatology, 2007. Web.

<http://www.ncbi.nlm.nih.gov/pubmed/17823514>>

Husarik DB, Miralbell R, Dubs M, John H, Giger OT, Gelet A, Cserevnyak T, Hany TF. "Evaluation of [18F]-choline PET/CT for Staging and Restaging of Prostate Cancer." Springer Link. European Journal of Nuclear Medicine and Molecular Imaging, 2007. Web.

<http://www.springerlink.com/content/63035x432h0l7277/>

Strobel K, Schaefer NG, Renner C, Veit-Haibach P, Husarik D, Koma AY and Hany TF. "Cost-effective Therapy Remission Assessment in Lymphoma Patients Using 2-[fluorine-18]fluoro-2-deoxy-D-glucose–positron Emission Tomography/computed Tomography: Is an End of Treatment Exam Necessary in All Patients?". Annals of Oncology. European Society for Medical Oncology, 2007. Web.

<http://annonc.oxfordjournals.org/content/18/4/658.abstract>>

Gastineau, T. "FDA Guidance Document Focuses on Cancer Trial Endpoints". Applied Clinical Trials, 2006. Web.



Medical Imaging

ICON Medical Imaging Bibliography

<<http://appliedclinicaltrialsonline.findpharma.com/appliedclinicaltrials/article/articleDetail.jsp?id=324334>>

ICON Medical Imaging Bibliography

Brain

Wyss MT, Weber B, Treyer V, Heer S, Pellerin L, Magistretti PJ, Buck A. "Stimulation-induced Increases of Astrocytic Oxidative Metabolism in Rats and Humans Investigated with 1-11C-acetate." Infoscience. Journal of Cerebral Blood Flow and Metabolism : Official Journal of the International Society of Cerebral Blood Flow and Metabolism, Vol. 29, Num. 1, 2008, P. 44-56. Web.

<<http://infoscience.epfl.ch/record/143109>>

Treyer V, Streffer J, Wyss MT, Bettio A, Ametamey SM, Fischer U, Schmidt M, Gasparini F, Hock C, Buck A. "Evaluation of the Metabotropic Glutamate Receptor Subtype 5 Using PET and 11C-ABP688: Assessment of Methods." Society of Nuclear Medicine. European Journal of Nuclear Medicine and Molecular Imaging, 2007. Web.

<<http://jnm.snmjournals.org/cgi/content/full/48/7/1207>>

Wyss MT, Hofer S, Hefti M, Bartschi E, Uhlmann C, Treyer V, Roelcke U. "Spatial Heterogeneity of Low-Grade Gliomas at the Capillary Level: A PET Study on Tumor Blood Flow and Amino Acid Uptake". The Journal of Nuclear Medicine. Society of Nuclear Medicine, 2007. Web.

<<http://jnm.snmjournals.org/cgi/content/abstract/48/7/1047>>

Wyss, Matthias T., Nicolas Spaeth, Gregoire Biollaz, Jens Pahnke, Patrizia Alessi, Eveline Trachsel, Valerie Treyer, Bruno Bruno Weber¹, Dario Neri, and Alfred Buck. "Uptake of 18F-Fluorocholine, 18F-FET, and 18F-FDG in C6 Gliomas and Correlation with 131I-SIP(L19), a Marker of Angiogenesis". The Journal of Nuclear Medicine. Society of Nuclear Medicine, 2007. Web.

<<http://jnm.snmjournals.org/cgi/content/abstract/48/4/608/>>



Medical Imaging

ICON Medical Imaging Bibliography

Imaging Technology

Stumpe KD, Strobel K. "Osteomyelitis and Arthritis." NCBI. Seminars in Nuclear Medicine." 2009. Web.

<<http://www.ncbi.nlm.nih.gov/pubmed/19038598>>

Von Schulthess GK, Schlemmer HP. "Outils Isotopiques Pour Les MICI: PET Et PET-CT Isotopic Tools for IBD: PET and PET-CT." Open Repository and Bibliography. Springer, 2009. Web.

<<http://orbi.ulg.ac.be/handle/2268/20443>>

Stumpe KD, Strobel K. "Assessment of Myocardial Perfusion by Dynamic O-15-labeled Water PET Imaging: Validation of a New Fast Factor Analysis." NCBI. Evaluation Studies, Research Support, Non-U.S. Gov't, Validation Studies, 2009. Web.

<<http://www.ncbi.nlm.nih.gov/pubmed/17826323>>

Von Schulthess GK, Schlemmer HP. "A Look Ahead: PET/MR versus PET/CT". Springer Link. European Journal of Nuclear Medicine and Molecular Imaging, 2008. Web.

<<http://www.springerlink.com/content/c62015085265267u/>>

Strobel K, Rudy M, Treyer V, Veit-Haibach P, Burger C, Hany TF. "Objective and Subjective Comparison of Standard 2-D and Fully 3-D Reconstructed Data on a PET/CT System". The Journal of Nuclear Medicine. Society of Nuclear Medicine, 2007. Web.

<<http://www.ncbi.nlm.nih.gov/pubmed/17538397>>

Treyer V, Streffer J, Wyss MT, Bettio A, Ametamey SM, Fischer U, Schmidt M, Gasparini F, Hock C, Buck A. "Radiosynthesis and Preclinical Evaluation of ¹¹C-ABP688 as a Probe for Imaging the Metabotropic Glutamate Receptor Subtype 5". The Journal of Nuclear Medicine. Society of Nuclear Medicine, 2006. Web.

<<http://jnm.snmjournals.org/cgi/content/abstract/47/4/698>>